§ 96.160

the CAIR authorized account representative for the account that the account will be closed following 20 business days after the notice is sent. The account will be closed after the 20-day period unless, before the end of the 20-day period, the Administrator receives a correctly submitted transfer of CAIR NO_X allowances into the account under §§ 96.160 and 96.161 or a statement submitted by the CAIR authorized account representative demonstrating to the satisfaction of the Administrator good cause as to why the account should not be closed.

[70 FR 25339, May 12, 2005, as amended at 71 FR 25384, Apr. 28, 2006]

Subpart GG—CAIR NO_X Allowance Transfers

SOURCE: 70 FR 25339, May 12, 2005, unless otherwise noted.

$\$\,96.160$ Submission of CAIR NO $_{\!\times}$ allowance transfers.

- A CAIR authorized account representative seeking recordation of a CAIR NO_X allowance transfer shall submit the transfer to the Administrator. To be considered correctly submitted, the CAIR NO_X allowance transfer shall include the following elements, in a format specified by the Administrator:
- (a) The account numbers for both the transferor and transferee accounts:
- (b) The serial number of each CAIR $NO_{\rm X}$ allowance that is in the transferor account and is to be transferred; and
- (c) The name and signature of the CAIR authorized account representative of the transferor account and the date signed.

§ 96.161 EPA recordation.

- (a) Within 5 business days (except as provided in paragraph (b) of this section) of receiving a CAIR NO_X allowance transfer, the Administrator will record a CAIR NO_X allowance transfer by moving each CAIR NO_X allowance from the transferor account to the transferee account as specified by the request, provided that:
- (1) The transfer is correctly submitted under $\S96.160$; and

- (2) The transferor account includes each CAIR NO_X allowance identified by serial number in the transfer.
- (b) A CAIR NO_X allowance transfer that is submitted for recordation after the allowance transfer deadline for a control period and that includes any CAIR NO_X allowances allocated for any control period before such allowance transfer deadline will not be recorded until after the Administrator completes the deductions under §96.154 for the control period immediately before such allowance transfer deadline.
- (c) Where a CAIR NO_X allowance transfer submitted for recordation fails to meet the requirements of paragraph (a) of this section, the Administrator will not record such transfer.

§96.162 Notification.

- (a) Notification of recordation. Within 5 business days of recordation of a CAIR NO_X allowance transfer under $\S 96.161$, the Administrator will notify the CAIR authorized account representatives of both the transferor and transferee accounts.
- (b) Notification of non-recordation. Within 10 business days of receipt of a CAIR NO_X allowance transfer that fails to meet the requirements of §96.161(a), the Administrator will notify the CAIR authorized account representatives of both accounts subject to the transfer of:
- (1) A decision not to record the transfer, and
- (2) The reasons for such non-recordation.
- (c) Nothing in this section shall preclude the submission of a CAIR NO_X allowance transfer for recordation following notification of non-recordation.

Subpart HH—Monitoring and Reporting

SOURCE: 70 FR 25339, May 12, 2005, unless otherwise noted.

§ 96.170 General requirements.

The owners and operators, and to the extent applicable, the CAIR designated representative, of a CAIR NO_{X} unit, shall comply with the monitoring, recordkeeping, and reporting requirements as provided in this subpart and in subpart H of part 75 of this chapter.

Environmental Protection Agency

For purposes of complying with such requirements, the definitions in §96.102 and in §72.2 of this chapter shall apply, and the terms "affected unit," "designated representative," and "continuous emission monitoring system" (or "CEMS") in part 75 of this chapter shall be deemed to refer to the terms "CAIR NOx unit," "CAIR designated representative," and "continuous emission monitoring system" (or "CEMS") respectively, as defined in §96.102. The owner or operator of a unit that is not a CAIR NO_X unit but that is monitored under §75.72(b)(2)(ii) of this chapter shall comply with the same monitoring, recordkeeping, and reporting requirements as a CAIR NO_X unit.

- (a) Requirements for installation, certification, and data accounting. The owner or operator of each CAIR NO_X unit shall:
- (1) Install all monitoring systems required under this subpart for monitoring NO_X mass emissions and individual unit heat input (including all systems required to monitor NO_X emission rate, NO_X concentration, stack gas moisture content, stack gas flow rate, CO_2 or O_2 concentration, and fuel flow rate, as applicable, in accordance with §§ 75.71 and 75.72 of this chapter);
- (2) Successfully complete all certification tests required under §96.171 and meet all other requirements of this subpart and part 75 of this chapter applicable to the monitoring systems under paragraph (a)(1) of this section; and
- (3) Record, report, and quality-assure the data from the monitoring systems under paragraph (a)(1) of this section.
- (b) Compliance deadlines. Except as provided in paragraph (e) of this section, the owner or operator shall meet the monitoring system certification and other requirements of paragraphs (a)(1) and (2) of this section on or before the following dates. The owner or operator shall record, report, and quality-assure the data from the monitoring systems under paragraph (a)(1) of this section on and after the following dates.
- (1) For the owner or operator of a CAIR NO_X unit that commences commercial operation before July 1, 2007, by January 1, 2008.

- (2) For the owner or operator of a CAIR NO_X unit that commences commercial operation on or after July 1, 2007, by the later of the following dates:
 - (i) January 1, 2008; or
- (ii) 90 unit operating days or 180 calendar days, whichever occurs first, after the date on which the unit commences commercial operation.
- (3) For the owner or operator of a CAIR NO_X unit for which construction of a new stack or flue or installation of add-on NO_X emission controls is completed after the applicable deadline under paragraph (b)(1), (2), (4), or (5) of this section, by 90 unit operating days or 180 calendar days, whichever occurs first, after the date on which emissions first exit to the atmosphere through the new stack or flue or add-on NO_X emissions controls.
- (4) Notwithstanding the dates in paragraphs (b)(1) and (2) of this section, for the owner or operator of a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under subpart II of this part, by the date specified in § 96.184(b).
- (5) Notwithstanding the dates in paragraphs (b)(1) and (2) of this section, for the owner or operator of a CAIR NO_X opt-in unit under subpart II of this part, by the date on which the CAIR NO_X opt-in unit enters the CAIR NO_X Annual Trading Program as provided in §96.184(g).
- (c) Reporting data. The owner or operator of a CAIR NO_X unit that does not meet the applicable compliance date set forth in paragraph (b) of this section for any monitoring system under paragraph (a)(1) of this section shall, for each such monitoring system, determine, record, and report maximum potential (or, as appropriate, minimum potential) values for NO_X concentration, NO_X emission rate, stack gas flow rate, stack gas moisture content, fuel flow rate, and any other parameters required to determine NOx mass emissions and heat input in accordance with $\S75.31(b)(2)$ or (c)(3) of this chapter, section 2.4 of appendix D to part 75 of this chapter, or section 2.5 of appendix E to part 75 of this chapter, as applicable.

§ 96.171

- (d) Prohibitions. (1) No owner or operator of a CAIR NO_X unit shall use any alternative monitoring system, alternative reference method, or any other alternative to any requirement of this subpart without having obtained prior written approval in accordance with $\S 96.175$.
- (2) No owner or operator of a CAIR NO_X unit shall operate the unit so as to discharge, or allow to be discharged, NO_X emissions to the atmosphere without accounting for all such emissions in accordance with the applicable provisions of this subpart and part 75 of this chapter.
- (3) No owner or operator of a CAIR NO_X unit shall disrupt the continuous emission monitoring system, any portion thereof, or any other approved emission monitoring method, and thereby avoid monitoring and recording NO_X mass emissions discharged into the atmosphere or heat input, except for periods of recertification or periods when calibration, quality assurance testing, or maintenance is performed in accordance with the applicable provisions of this subpart and part 75 of this chapter.
- (4) No owner or operator of a CAIR NO_X unit shall retire or permanently discontinue use of the continuous emission monitoring system, any component thereof, or any other approved monitoring system under this subpart, except under any one of the following circumstances:
- (i) During the period that the unit is covered by an exemption under §96.105 that is in effect:
- (ii) The owner or operator is monitoring emissions from the unit with another certified monitoring system approved, in accordance with the applicable provisions of this subpart and part 75 of this chapter, by the permitting authority for use at that unit that provides emission data for the same pollutant or parameter as the retired or discontinued monitoring system; or
- (iii) The CAIR designated representative submits notification of the date of certification testing of a replacement monitoring system for the retired or discontinued monitoring system in accordance with §96.171(d)(3)(i).
- (e) Long-term cold storage. The owner or operator of a CAIR ${\rm NO_X}$ unit is sub-

ject to the applicable provisions of part 75 of this chapter concerning units in long-term cold storage.

[70 FR 25339, May 12, 2005, as amended at 71 FR 25384, Apr. 28, 2006]

§96.171 Initial certification and recertification procedures.

- (a) The owner or operator of a CAIR NO_X unit shall be exempt from the initial certification requirements of this section for a monitoring system under $\S 96.170(a)(1)$ if the following conditions are met:
- (1) The monitoring system has been previously certified in accordance with part 75 of this chapter; and
- (2) The applicable quality-assurance and quality-control requirements of §75.21 of this chapter and appendix B, appendix D, and appendix E to part 75 of this chapter are fully met for the certified monitoring system described in paragraph (a)(1) of this section.
- (b) The recertification provisions of this section shall apply to a monitoring system under §96.170(a)(1) exempt from initial certification requirements under paragraph (a) of this section.
- (c) If the Administrator has previously approved a petition under $\S75.17(a)$ or (b) of this chapter for apportioning the NO_X emission rate measured in a common stack or a petition under $\S75.66$ of this chapter for an alternative to a requirement in $\S75.12$ or $\S75.17$ of this chapter, the CAIR designated representative shall resubmit the petition to the Administrator under $\S96.175(a)$ to determine whether the approval applies under the CAIR NO_X Annual Trading Program.
- (d) Except as provided in paragraph (a) of this section, the owner or operator of a CAIR NOx unit shall comply with the following initial certification and recertification procedures for a continuous monitoring system (i.e., a continuous emission monitoring system and an excepted monitoring system under appendices D and E to part 75 of this chapter) under §96.170(a)(1). The owner or operator of a unit that qualifies to use the low mass emissions excepted monitoring methodology under §75.19 of this chapter or that qualifies to use an alternative monitoring system under subpart E of part